

Mitochondrial DNA Part B Resources

ISSN: (Print) 2380-2359 (Online) Journal homepage: <https://www.tandfonline.com/loi/tmdn20>

Complete mitochondrial genome of *Idioscopus nitidulus* (Hemiptera: Cicadellidae)

Jaipal S. Choudhary, Naiyar Naaz, Bikash Das, Bhagwati P. Bhatt & Chandra S. Prabhakar

To cite this article: Jaipal S. Choudhary, Naiyar Naaz, Bikash Das, Bhagwati P. Bhatt & Chandra S. Prabhakar (2018) Complete mitochondrial genome of *Idioscopus nitidulus* (Hemiptera: Cicadellidae), Mitochondrial DNA Part B, 3:1, 191-192, DOI: [10.1080/23802359.2018.1437798](https://doi.org/10.1080/23802359.2018.1437798)

To link to this article: <https://doi.org/10.1080/23802359.2018.1437798>



© 2018 The Author(s). Published by Informa UK Limited, trading as Taylor & Francis Group.



Published online: 10 Feb 2018.



Submit your article to this journal [↗](#)



Article views: 344



View related articles [↗](#)



View Crossmark data [↗](#)



Citing articles: 5 View citing articles [↗](#)

Complete mitochondrial genome of *Idioscopus nitidulus* (Hemiptera: Cicadellidae)

Jaipal S. Choudhary^a, Naiyar Naaz^a, Bikash Das^a, Bhagwati P. Bhatt^b and Chandra S. Prabhakar^{a,c} 

^aICAR Research Complex for Eastern Region, Research Centre, Ranchi, Jharkhand, India; ^bICAR Research Complex for Eastern Region, ICAR Parisar, P.O. Bihar Veterinary College, Patna, Bihar, India; ^cDepartment of Entomology, Veer Kunwar Singh College of Agriculture (Bihar Agricultural University, Sabour), Dumraon, Bihar, India

ABSTRACT

The complete mitogenome of *Idioscopus nitidulus* (Cicadellidae) was sequenced. It comprises 15,287 base pairs (bp), including 13 protein-coding genes (PCGs), 2 rRNA genes, 22 tRNA genes and a control region. The phylogenetic analyses based on concatenated thirteen protein-coding genes of mitogenomes recover the monophyly of Auchenorrhyncha (Fulgoromorpha + Cicadomorpha) and Sternorrhyncha as a sister group to Auchenorrhyncha. The complete mitogenome sequence of *Idioscopus nitidulus* is available in the GenBank with accession number: KR024406.

ARTICLE HISTORY

Received 31 December 2017
Accepted 1 February 2018

KEYWORDS

Mitogenome; mango pest;
Auchenorrhyncha; insect;
leafhopper

Idioscopus nitidulus (Walker) (Cicadellidae: Hemiptera) is one of the most serious and endemic species of mango leafhopper in India. Nymph and adults of *I. nitidulus* found to suck sap from young shoots, tender leaves and inflorescence resulting in 20–100% loss of inflorescence (Sohi and Sohi 1990).

In the present work, we sequenced the complete mitogenome sequence of *I. nitidulus* and compared it with mitogenome of other leafhopper species (*Empoasca vitis* and *Homalodisca coagulata*). The phylogenetic relationships among hemipteran insects based on the complete mitogenome sequences were also analysed.

Specimens of *I. nitidulus* were collected from mango tree at ICAR Research Complex for Eastern Region, Research Centre (ICAR RCER-RC), Ranchi, India (23° 45' N latitude, 85° 30' E longitude, elevation 620 m AMSL). The voucher specimens (ID: IN001) of the species are kept in the collection of ICAR RCER-RC, Ranchi, India. Adult *I. nitidulus* was subjected for mitochondrial DNA extraction using BioVision Mitochondrial DNA Isolation Kit according to manufacturer's instructions (BioVision, Inc., Milpitas, CA). Illumina library preparation and sequencing was executed at the *Xcelris Labs Limited*, India. A contig identified as mitogenome was

annotated with the MITOS web server (Bernt et al. 2012) applying the invertebrate mitochondrial genetic code. Phylogenetic analysis was carried out on the basis of 37 available mitogenomes of Hemipteran insects in GenBank including newly sequenced mitogenome of *I. nitidulus* with Maximum Likelihood (ML) methods using MEGA ver 6.0 (Tamura et al. 2013).

The complete mitogenome of *I. nitidulus* is a closed-circular double-stranded molecule of 15,287 bp in length and arrangements similar to two Cicadellidae mitogenomes available in GenBank (*E. vitis* and *H. coagulata*). It presents typical gene content and arrangement of other insect mitogenomes, i.e. 13 PCGs, 22 tRNA genes and 2 genes for rRNA subunits.

Phylogenetic studies of *I. nitidulus* with other species of six superfamilies represented in our dataset are monophyletic. *I. nitidulus* was observed closer to *H. coagulata* followed by *E. vitis* phylogenetically among studied species of Hemiptera (Figure 1). The relationships recovered among the six planthopper families analysed here were consistent with the phylogeny of Fulgoroidea as reconstructed by Urban and Cryan (2007). This phylogenetic analysis added to current knowledge on the hemipteran phylogeny inferred from mitogenomes.




Figure 1. Maximum likelihood phylogenetic relationship inferred from the mitogenomes of 37 hemipteran insects. Tree based on 13 complete protein-coding genes from complete mitochondrial genome sequences.

Acknowledgments

We are grateful to the Head, ICAR RCER-RC for providing laboratory facilities and valuable suggestions.

Disclosure statement

The authors declare that no competing interests exist.

Funding

This work was supported by financial grant from the Ministry of Agriculture and Farmers' Welfare, Government of India through ICAR under NICRA project (ICAR RCER/RC R/E.F./2011/29).

ORCID

Chandra S. Prabhakar  <http://orcid.org/0000-0001-7182-2667>

References

- Bernt M, Donath A, Jühling F, Externbrink F, Florentz C, Fritzsch G, Pütz J, Middendorf M, Stadler PF. 2012. MITOS: improved de novo metazoan mitochondrial genome annotation. *Mol Phylogenet Evol.* 69:313–319.
- Sohi AS, Sohi AS. 1990. Mango leafhoppers (Homoptera, Cicadellidae) – a review. *J Insect Sci.* 3:1–12.
- Tamura K, Stecher G, Peterson D, Filipski A, Kumar S. 2013. MEGA6: molecular evolutionary genetics analysis version 6.0. *Mol Biol Evol.* 30:2725–2729.
- Urban JM, Cryan JR. 2007. Evolution of the planthoppers (Insecta: Hemiptera: Fulgoroidea). *Mol Phylogenet Evol.* 42:556–572.